



1 Pindou str. 17672 Kallithea, Athens, Greece. Tel.: +30 2109570222 -

Fax: +30 2109566671 factory@cosmoslac.com www.cosmoslac.com

Technical Data Sheet

Product Information		
Date:	08-04-2019	
Code:	N741	
Name:	COSMOS LAC GLUE N741	
Version TDS:	002	
Product group:	Home line	
Application:	Spray adhesive that bonds a wide variety of materials as: wood, stone, rubber, canvas fabrics, cardboard, metal, paper, cork, foam etc.	
Properties	Strong bond	
	Fast adhesion	
	Clean to use	
	Moisture resistant	
	Low viscosity spray glue	
Technical information:		
Base:	Adhesive based on styrene-butadiene-rubber, resins and hydrocarbon solvents	
Propellant:	Dimethyl ether and propane	
Appearance:	White liquid	
Pressure (20°C):	4 Bar	
Spray pattern:	Mist, low viscosity gives a thin glue layer	
Odour:	Solvents	
Temperature resistance:	Max. 80 °C	
Open time:	Max. 5 min.	
Pressure (20 °C):	3-4 Bar	
Density (20 °C):	Ca. 0,7 g/ml	
Directions for use:	Use on room temperature	
	Shake before use.	
	Surfaces should be clean, dry, and free from grease.	
	Spray onto the surface/object to be glued	
	Press together	
	Turn the aerosol upside-down after use and spray till only gas is coming out.	
	Remove spots immediately before drying with white spirit or acetone cleaner.	
	Coverage:	
	400 ml, position M: \pm 1,1 m ²	
	500 ml. position M: \pm 1,4 m ²	
Safety:	See MSDS	
	Keep away from heat/sparks/open flames/hot surfaces No smoking. Pressurized	
	container: Do not pierce or burn, even after use. Do not spray on an open flame or	
	other ignition source. Avoid breathing spray. Wear protective gloves / eye	
	protection. Use only outdoors or in a well-ventilated area.	
Warning:	Safe to use on most surfaces and materials. However, adhesive may damage some	
	materials. Therefore, surfaces must always be tested in a concealed area first.	
	, ,,	

Application temperature:	10°C − 25°C
Warranty:	1 year after date of production
Storage conditions:	Cool (5° C – 35° C) and dry

This information was composed to the best of our current knowledge. It provides no guarantees. The data in this sheet is a result of extensive testing either by Cosmos Lac or its suppliers. However always thoroughly check whether the product is fit to serve the purpose you mean it to work for.